



Cooperative Extension Service
Institute of Food and Agricultural Sciences

*Celosia cristata*¹

Edward F. Gilman, Teresa Howe²

Introduction

Celosia has two types of flowers, the cockscomb, *Celosia cristata* and the plume types, *Celosia plumosa* (Fig. 1). The tight, velvety texture of the Cockscomb flowers look like brain tissue to some people. The fluffy, light, airy texture of the plume types blow freely in a breeze and are planted more often. Both come in a variety of colors.

General Information

Scientific name: *Celosia cristata*

Pronunciation: see-LOE-see-uh kriss-TAY-tuh

Common name(s): Cockscomb, Crested Celosia

Family: *Amaranthaceae*

Plant type: annual

USDA hardiness zones: all zones (Fig. 2)

Planting month for zone 7: Jun; Jul

Planting month for zone 8: May; Jun; Jul

Planting month for zone 9: Apr; May; Jun; Jul; Aug; Sep; Oct; Nov

Planting month for zone 10 and 11: Apr; May; Jun; Jul; Aug; Sep; Oct; Nov

Origin: not native to North America

Uses: edging; mass planting; container or above-ground planter

Availability: generally available in many areas within its hardiness range

Description

Height: .5 to 2 feet

Spread: .5 to 1 feet




Figure 1. Cockscomb.

Plant habit: upright

Plant density: moderate

Growth rate: moderate

Texture: fine

Foliage

Leaf arrangement: alternate

1. This document is Fact Sheet FPS-113, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October 1999. Please visit the EDIS web site at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department, Teresa Howe, coordinator - Research Programs/Services, Gulf Coast REC, Bradenton, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

Leaf type: simple
Leaf margin: entire
Leaf shape: saggitate (arrow)
Leaf venation: pinnate
Leaf type and persistence: not applicable
Leaf blade length: 2 to 4 inches
Leaf color: purple or red
Fall color: not applicable
Fall characteristic: not applicable

Flower

Flower color: yellow; pink; orange
Flower characteristic: showy

Fruit

Fruit shape: no fruit
Fruit length: no fruit
Fruit cover: no fruit
Fruit color: not applicable
Fruit characteristic: inconspicuous and not showy

Trunk and Branches

Trunk/bark/branches: not applicable
Current year stem/twig color: green
Current year stem/twig thickness: very thick

Culture

Light requirement: plant grows in full sun
Soil tolerances: acidic; sand; loam; clay
Drought tolerance:
Soil salt tolerances: unknown
Plant spacing: 6 to 12 inches

Other

Roots: not applicable
Winter interest: not applicable
Outstanding plant: not particularly outstanding
Invasive potential: may self-seed each year
Pest resistance: long-term health usually not affected by pests

Use and Management

The plants prefer a fertile, moist soil with lots of organic matter. They do best in full sun but will tolerate partial shade. The flowers can be dried with red flowers giving best results. Any check in growth of young plants will bring them into bloom prematurely. This spoils later blooming. Causes of premature blooming are exposure to cold temperatures when planted too early, or remaining in packs or flats too long in the spring. Celosia grows one to one and a half feet tall and is spaced 10 to 12 inches apart.

The heads may be larger if the seed is planted directly into the garden. If started indoors they germinate in one week at 70 to 75 degrees. Plant indoors six weeks before the desired outdoor planting date. Seedlings should be grown warm and on the dry side.

Cristata cultivars include the dwarf 'Jewel Box' and 'Olympia' series and the taller (18 to 24 inches) 'Floradale' and 'Chief' series. Plumosa series and cultivars include the dwarf 'Kimono' and 'Geisha' series and the taller types including 'Apricot Brandy', 'Castle' series, 'Century' series, 'Forest Fire' and 'New Look'.

Mites can cause loss of healthy green foliage coloration but this pest is not common on Celosia.

Pests and Diseases

Leaf spots may occasionally attack Celosia but the problem is not serious.