



Cooperative Extension Service
Institute of Food and Agricultural Sciences

*Dodonaea viscosa*¹

Edward F. Gilman²

Introduction

The shiny green leaves of this shrub have a varnished appearance that gives this plant its most widely used common name. The Varnish-Leaf is a fast growing, broad-leaved, evergreen shrub that can grow 10- to 15-feet tall. It is most commonly seen at about 6- to 10-feet tall. The "varnished" leaves of this plant have a resinous coating that is a protection against water loss, and this allows the plants to be exceptionally drought tolerant. Leaves vary in shape from spatulate to elliptic or obovate. Margins of the leaves are often turned under. Greenish yellow flowers are without true petals and appear in terminal clusters that are 3 inches in length. This shrub blooms in the spring and fall, and flowers on the same plant may be male, female, or perfect. The most outstanding part of this plant is the pendent fruit. These emerge green, turn yellow green, then pink and red, and then brown as they mature. The three-parted seedpods have 3 or 4 rounded wings.

General Information

Scientific name: *Dodonaea viscosa*

Pronunciation: doe-DOE-nee-uh viss-KOE-suh

Common name(s): Varnish-Leaf, Hopbush

Family: *Sapindaceae*

Plant type: tree

USDA hardiness zones: 9 through 11 (Fig. 1)

Planting month for zone 9: year round

Planting month for zone 10 and 11: year round

Origin: native to Florida

Uses: specimen; espalier; small parking lot islands (< 100 square feet in size); medium-sized parking lot islands (100-200

square feet in size); large parking lot islands (> 200 square feet in size); screen

Availability: grown in small quantities by a small number of nurseries

Description

Height: 10 to 15 feet

Spread: 6 to 15 feet

Plant habit: oval

Plant density: symmetrical habit with a regular (or smooth) outline and individuals having more or less identical forms

Growth rate: moderate

Texture: fine

Foliage

Leaf arrangement: alternate

Leaf type: simple

Leaf margin: entire

Leaf shape: oblanceolate; obovate; spatulate

Leaf venation: pinnate

Leaf type and persistence: evergreen

Leaf blade length: 4 to 8 inches

Leaf color: green

Fall color: no fall color change

Fall characteristic: not showy

Flower

Flower color: yellow

Flower characteristic: summer flowering; fall flowering; spring flowering

1. This document is Fact Sheet FPS-181, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October 1999. Please visit the EDIS web site at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 1. Shaded area represents potential planting range.

Fruit

- Fruit shape:** pod or pod-like
- Fruit length:** .5 to 1 inch
- Fruit cover:** dry or hard
- Fruit color:** green; red; yellow
- Fruit characteristic:** showy

Trunk and Branches

Trunk/bark/branches: typically multi-trunked or clumping stems; can be trained to grow with a short, single trunk; no horns

- Current year stem/twig color:** green
- Current year stem/twig thickness:** thin

Culture

- Light requirement:** plant grows in full sun
- Soil tolerances:** acidic; alkaline; sand; loam;
- Drought tolerance:** high
- Soil salt tolerances:** unknown

Plant spacing: not applicable

Other

- Roots:** usually not a problem
- Winter interest:** no special winter interest
- Outstanding plant:** plant has outstanding ornamental features and could be planted more
- Invasive potential:** not known to be invasive
- Pest resistance:** no serious pests are normally seen on the plant

Use and Management

One may use Varnish Leaf as a specimen due to its nice fruit display. The plant is also attractive when it is not in fruit. Planted 5 to 8 feet apart, Varnish-Leaf makes a nice hedge or background plant, and it is very effective when employed as a screen. It is can also be grown in fence rows and is interesting when espaliered. It is a useful plant that is underutilized.

Dodonaea viscosa will tolerate dry sandy or rocky soils, salt spray, windy areas, and drought conditions. It favors

areas that receive full sun and is often cultivated in loamy or sandy soils.

Dodonaea viscosa 'Purpurea' has been called the most popular cultivar of the *Dodonaea* genus. It is currently most popular in the western US. Seedlings can vary a lot in color, and purple-leaved varieties will turn green in full shade. It has a wide tolerance for different soils, winds and heat, and, when established, will be drought-resistant. The plant is used in landscapes in the western United States.

Pests and Diseases

No pests or diseases are of major concern.