Nymphaea odorata¹

Edward F. Gilman²

Introduction

Fragrant Waterlily is widely distributed in quite pools and ponds in North and Central America (Fig. 1). The variety gigantea occurs throughout Florida, whereas godfreyi, with smaller flowers, is found primarily in West Florida. It a hardy, native plant that floats its round foliage and produces a fragrant, multipetaled, white flower just above the water. Each leaf lasts about 6 weeks before turning yellow. This is normal and should not be cause for concern. Flower showiness is legendary and each flower lasts several days, but flowers close in late afternoon and at night. Fragrant Waterlily grows in standing water about 18 inches deep and spreads by means of rhizomes. It can be prevented from spreading by planting it in a container without drainage holes and submerging the container into the water garden. This helps prevent the plant from invading the entire water garden. Although Waterlilies require full sun for best flowering, this one will produce some flowers with only 4 hours of direct sun.

General Information

Scientific name: Nymphaea odorata

Pronunciation: nim-FEE-uh oh-duh-RAY-tuh

Common name(s): Fragrant Waterlily, White Waterlily

Family: Nymphaeaceae Plant type: aquatic plant

USDA hardiness zones: 3 through 11 (Fig. 2) **Planting month for zone 7:** year round **Planting month for zone 8:** year round **Planting month for zone 9:** year round

Planting month for zone 10 and 11: year round




Figure 1. Fragrant Waterlily.

Origin: native to Florida

Uses: cut flowers; attracts butterflies

Availablity: somewhat available, may have to go out of the

region to find the plant

Description

Height: .5 to 1 feet **Spread:** 2 to 4 feet

- This document is Fact Sheet FPS-434, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October, 1999 Please visit the EDIS Web site at http://edis.ifas.ufl.edu.
- Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University
 of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

Plant habit: not applicable Plant density: open Growth rate: fast Texture: medium

Foliage

Leaf arrangement: most emerge from the soil, usually without

a stem

Leaf type: simple Leaf margin: entire Leaf shape: orbiculate Leaf venation: palmate

Leaf type and persistence: evergreen Leaf blade length: 8 to 12 inches Leaf color: purple or red; variegated Fall color: no fall color change Fall characteristic: not showy

Flower

Flower color: white

Flower characteristic: pleasant fragrance; summer flowering;

fall flowering; spring flowering

Fruit

Fruit shape: unknown Fruit length: unknown Fruit cover: unknown Fruit color: unknown

Fruit characteristic: suited for human consumption

Trunk and Branches

Trunk/bark/branches: not applicable Current year stem/twig color: not applicable Current year stem/twig thickness: not applicable

Culture

Light requirement: plant grows in part shade/part sun

Soil tolerances: grows submerged in water

Drought tolerance: Soil salt tolerances: poor Plant spacing: 36 to 60 inches

Other

Roots: not applicable

Winter interest: no special winter interest

Outstanding plant: plant has outstanding ornamental features

and could be planted more

Invasive potential: not known to be invasive

Pest resistance: long-term health usually not affected by pests

Use and Management

Hardy Waterlilies should be planted in a container filled with garden soil or potting mix. A shallow and wide container shape is better than a tall, narrow container. The garden soil can be mixed with one-fifth well decomposed cow manure. Incorporate fertilizer at an equivalent rate of about one-quarter cup 10-10-10 per gallon of soil or media to help stimulate growth. Before filling the container, place a small plastic bag filled with sand at the bottom of the container to keep the container from floating in the pond. Plant the rhizome at the edge of the container so it can grow horizontally across the top. Place a 1- or 2-inch layer of sand or gravel over the top of the media after the rhizome is planted in the pot to keep media and soil in the container. Lower the container into 6 inches of water until growth begins. Then it can be set so the bottom is no more than 18 inches below the surface. If the water is too deep, place a brick or concrete block under the container. Do not construct containers from treated lumber since growth could be severely inhibited.

The only maintenance required is monthly application of a slow release fertilizer. Tablets manufactured by various companies can be placed several inches below the sand or gravel layer at the top of the container. Follow the manufacturers directions to determine appropriate number of tablets.