



Cooperative Extension Service  
Institute of Food and Agricultural Sciences

## ***Ternstroemia gymnanthera*<sup>1</sup>**

Edward F. Gilman<sup>2</sup>

### **Introduction**

The dense, unusually dark green foliage takes on various shades of red depending upon the season and exposure, but always remains shining and evergreen (Fig. 1). The small, white, fragrant flowers are borne in clusters at the leaf axils and are followed by yellow to dark red fruits, eventually splitting open to reveal shiny, black seeds which persist through the winter.

### **General Information**

**Scientific name:** *Ternstroemia gymnanthera*

**Pronunciation:** tern-STROE-mee-uh jim-NANTH-er-uh

**Common name(s):** Cleyera, Japanese Ternstroemia

**Family:** *Theaceae*

**Plant type:** tree

**USDA hardiness zones:** 7 through 10 (Fig. 2)

**Planting month for zone 7:** year round

**Planting month for zone 8:** year round

**Planting month for zone 9:** year round

**Planting month for zone 10:** year round

**Origin:** not native to North America

**Uses:** screen; border; near a deck or patio; specimen; superior hedge

**Availability:** somewhat available, may have to go out of the region to find the plant

### **Description**

**Height:** 12 to 20 feet

**Spread:** 5 to 10 feet




Figure 1. Cleyera.

**Plant habit:** upright

**Plant density:** moderate

**Growth rate:** moderate

**Texture:** medium

**Foliage**

**Leaf arrangement:** alternate

1. This document is Fact Sheet FPS-575, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October, 1999 Please visit the EDIS Web site at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

**Leaf type:** simple  
**Leaf margin:** entire  
**Leaf shape:** ovate  
**Leaf venation:** pinnate  
**Leaf type and persistence:** evergreen  
**Leaf blade length:** 2 to 4 inches  
**Leaf color:** green  
**Fall color:** no fall color change  
**Fall characteristic:** not showy

**Flower**

**Flower color:** white  
**Flower characteristic:** spring flowering; pleasant fragrance

**Fruit**

**Fruit shape:** oval  
**Fruit length:** .5 to 1 inch  
**Fruit cover:** fleshy  
**Fruit color:** red  
**Fruit characteristic:** persists on the plant

**Trunk and Branches**

**Trunk/bark/branches:** showy; typically multi-trunked or clumping stems  
**Current year stem/twig color:** gray/silver  
**Current year stem/twig thickness:** thin

**Culture**

**Light requirement:** plant grows in the shade  
**Soil tolerances:** clay; sand; acidic; loam; slightly alkaline  
**Drought tolerance:** moderate  
**Soil salt tolerances:** poor  
**Plant spacing:** 36 to 60 inches

**Other**

**Roots:** usually not a problem  
**Winter interest:** plant has winter interest due to unusual form, nice persistent fruits, showy winter trunk, or winter flowers  
**Outstanding plant:** plant has outstanding ornamental features and could be planted more

**Invasive potential:** not known to be invasive

**Pest resistance:** no serious pests are normally seen on the plant

## Use and Management

Cleyera is tolerant of full sun but grows best in partial shade in rich, moisture-retentive but well-drained, acid soil. The leaves will turn yellow if the soil is alkaline. Pruning is not usually necessary on slow-growing cleyera but new growth may be pinched to encourage compactness, particularly in the shade. The clean, neat, upright growth of cleyera makes it a good choice as an accent plant as well as a screen or hedge. Plant on three to five-foot centers to form a hedge of mass planting. Cleyera makes a good background plant for a shrub border which is to act as a screen or wind break.

Propagation is by seed or cuttings.

Pest problems are rare on cleyera with scale being the only one of occasional significance.

## Pests and Diseases

No diseases are of major concern.



**Figure 3.** Flower of Cleyera