

Cooperative Extension Service Institute of Food and Agricultural Sciences

# Bromelia balansae<sup>1</sup>

Edward F. Gilman<sup>2</sup>

# Introduction

This large, spiny-leaved bromeliad forms impressive clumps of wavy, 12 to 16-inch-long foliage, spreading slowly by underground stems, making it ideal for use as a groundcover or living fence (due to the spiny leaves) (Fig. 1). A person will walk through a mass planting of this only once. In late spring to early summer the center leaves turn a bright scarlet and from this center arises a flower spike composed of rose-colored flowers edged with white, making a dramatic landscape accent.

# **General Information**

Scientific name: Bromelia balansae Pronunciation: bro-MEEL-ee-uh bal-AN-see Common name(s): Bromeliad, Heart-of-Flame Family: Bromeliaceae Plant type: perennial; herbaceous USDA hardiness zones: 9B through 11 (Fig. 2) Planting month for zone 9: year round Planting month for zone 10 and 11: year round Origin: not native to North America Uses: container or above-ground planter; ground cover; mass planting; border; suitable for growing indoors; accent Availablity: somewhat available, may have to go out of the region to find the plant

# Description

Height: 2 to 4 feet Spread: 4 to 6 feet Plant habit: upright; round





Plant density: open Growth rate: moderate Texture: coarse

Foliage

Leaf arrangement: basal rosette Leaf type: simple

- This document is Fact Sheet FPS-74, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October 1999. Please visit the EDIS web site at http://edis.ifas.ufl.edu.
- 2. Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean

### Fact Sheet FPS-74 October, 1999



Figure 2. Shaded area represents potential planting range.

Leaf margin: spiny Leaf shape: linear Leaf venation: parallel Leaf type and persistence: evergreen Leaf blade length: more than 36 inches Leaf color: purple or red Fall color: no fall color change Fall characteristic: not showy

#### Flower

Flower color: red Flower characteristic: spring flowering

#### Fruit

Fruit shape: round Fruit length: less than .5 inch Fruit cover: fleshy Fruit color: unknown Fruit characteristic: showy

#### **Trunk and Branches**

Trunk/bark/branches: usually with one stem/trunk

Current year stem/twig color: not applicable Current year stem/twig thickness: not applicable

# Culture

Light requirement: plant grows in part shade/part sun Soil tolerances: clay; sand; acidic; alkaline; loam Drought tolerance: high Soil salt tolerances: unknown Plant spacing: 36 to 60 inches

### Other

Roots: not applicable Winter interest: no special winter interest Outstanding plant: plant has outstanding ornamental features and could be planted more Invasive potential: may self-seed each year Pest resistance: no serious pests are normally seen on the plant

### **Use and Management**

Easily grown in full sun to light shade, Heart-of-Flame's main requirement is good soil drainage. Plant on two to three-foot centers for a thick, tropical-looking ground cover. A mass planting in front of a shrub border will draw attention.

The leaves of the cultivar 'Variegata' have white margins.

Propagation is by division of the offsets or by seed.

Heart-of-Flame may be bothered by scale.

#### **Pests and Diseases**

Root rots in poorly drained soils.