



Cooperative Extension Service
Institute of Food and Agricultural Sciences

Magnolia x soulangiana 'Orchid'¹

Edward F. Gilman²

Introduction

Young Japanese or Saucer Magnolia are distinctly upright, becoming more oval, then round by 10 years of age (Fig. 1). Blooms open in late winter in the southern part of its range to early spring in the northern part of its range before the leaves emerge. Flowers are large, with bright red petals creating a spectacular flower display. Even young trees can develop a beautiful flower display. However, a late frost can often ruin the flowers in all areas where it is grown. In warmer climates, the late-flowering selections avoid frost damage but some are less showy than the early-flowered forms which blossom when little else is in flower.

General Information

Scientific name: *Magnolia x soulangiana* 'Orchid'
Pronunciation: mag-NO-lee-uh x soo-lan-jee-AY-nuh
Common name(s): 'Orchid' Saucer Magnolia
Family: *Magnoliaceae*
Plant type: shrub
USDA hardiness zones: 5 through 9A (Fig. 2)
Planting month for zone 7: year round
Planting month for zone 8: year round
Planting month for zone 9: year round
Origin: not native to North America
Uses: near a deck or patio; container or above-ground planter; espalier
Availability: somewhat available, may have to go out of the region to find the plant




Figure 1. 'Orchid' Saucer Magnolia.

Description

Height: 20 to 25 feet
Spread: 15 to 25 feet
Plant habit: upright; round
Plant density: open
Growth rate: moderate
Texture: coarse

1. This document is Fact Sheet FPS-371, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October, 1999 Please visit the EDIS Web site at <http://edis.ifas.ufl.edu>.
2. Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service office. Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

Foliage

Leaf arrangement: alternate
Leaf type: simple
Leaf margin: undulate
Leaf shape: obovate
Leaf venation: pinnate
Leaf type and persistence: deciduous
Leaf blade length: 4 to 8 inches
Leaf color: green
Fall color: yellow
Fall characteristic: showy

Flower

Flower color: red
Flower characteristic: spring flowering; winter flowering

Fruit

Fruit shape: irregular
Fruit length: 1 to 3 inches
Fruit cover: dry or hard
Fruit color: red

Fruit characteristic: rarely fruits

Trunk and Branches

Trunk/bark/branches: no thorns; typically multi-trunked or clumping stems
Current year stem/twig color: brown
Current year stem/twig thickness: medium

Culture

Light requirement: plant grows in part shade/part sun
Soil tolerances: clay; sand; loam; acidic;
Drought tolerance: moderate
Soil salt tolerances: unknown
Plant spacing: 36 to 60 inches

Other

Roots: usually not a problem

Winter interest: plant has winter interest due to unusual form, nice persistent fruits, showy winter trunk, or winter flowers

Outstanding plant: plant has outstanding ornamental features and could be planted more

Invasive potential: not known to be invasive

Pest resistance: long-term health usually not affected by pests

Use and Management

The tree is best used as a specimen in a sunny spot where it can develop a symmetrical crown. It develops an open canopy but flowers fine in a partially shaded spot. It can be pruned up if planted close to a walk or patio to allow for pedestrian clearance but probably looks its best when branches are left to droop to the ground. The light gray bark shows off nicely, particularly during the winter when the tree is bare.

Transplant in the spring, just before growth begins, and use balled and burlapped or containerized plants. Pruning wounds may not close well, so train plants early in their life to develop the desired form to avoid large pruning wounds.

Pests and Diseases

It is generally pest free, but scales of various types may infest twigs and foliage. Magnolia may be subject to leaf spots. Canker diseases will kill entire branches.




Figure 3. Flower of 'Orchid' Saucer Magnolia