Thunbergia erecta¹

Edward F. Gilman²

Introduction

Thunbergia erecta is a vigorous, woody shrub from Tropical Africa that grows to about 6-feet-tall and wide (Fig. 1). This shrub has small, ovate leaves with entire margins borne opposite on thin, brown stems. The purple flowers have a yellow throat and grow to 1 1/4 inches long and may appear singly or in small clusters. These lovely, slightly fragrant blooms occur all year long, especially in the summer. This plant produces rounded seed capsules that end in a beak.

General Information

Scientific name: Thunbergia erecta

Pronunciation: thun-BER-jee-uh ee-RECK-tuh **Common name(s):** Bush Clock Vine, King's Mantle

Family: Acanthaceae Plant type: shrub

USDA hardiness zones: 10B through 11 (Fig. 2) **Planting month for zone 10 and 11:** year round

Origin: not native to North America

Uses: superior hedge; foundation; border; cascading down a

wall

Availablity: generally available in many areas within its

hardiness range

Description

Height: 4 to 6 feet **Spread:** 5 to 8 feet

Plant habit: round; spreading **Plant density:** moderate




Figure 1. Bush Clock Vine.

Growth rate: fast Texture: fine

Foliage

Leaf arrangement: opposite/subopposite

Leaf type: simple Leaf margin: entire

- This document is Fact Sheet FPS-578, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October, 1999 Please visit the EDIS Web site at http://edis.ifas.ufl.edu.
- Edward F. Gilman, professor, Environmental Horticulture Department, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University
 of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service of Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

Leaf shape: elliptic (oval)
Leaf venation: bowed; pinnate
Leaf type and persistence: evergreen
Leaf blade length: less than 2 inches

Leaf color: green

Fall color: no fall color change **Fall characteristic:** not showy

Flower

Flower color: purple

Flower characteristic: year-round flowering

Fruit

Fruit shape: unknown Fruit length: unknown Fruit cover: unknown Fruit color: unknown

Fruit characteristic: inconspicuous and not showy

Trunk and Branches

Trunk/bark/branches: typically multi-trunked or clumping

stems; not particularly showy

Current year stem/twig color: reddish Current year stem/twig thickness: thin

Culture

Light requirement: plant grows in part shade/part sun **Soil tolerances:** acidic; alkaline; sand; loam; clay;

Drought tolerance: moderate **Soil salt tolerances:** unknown **Plant spacing:** 36 to 60 inches

Other

Roots: usually not a problem

Winter interest: plant has winter interest due to unusual form, nice persistent fruits, showy winter trunk, or winter flowers

Outstanding plant: not particularly outstanding **Invasive potential:** not known to be invasive

Pest resistance: long-term health usually not affected by pests

Use and Management

The gardener can use this shrub along porches or foundations. Plants can grow without clipping if there is enough room to accommodate 5 or 6 feet of growth. Commercial landscapers often plant and maintain it as a hedge for a border. Its small foliage and continuous growth make it well suited for this purpose.

The Sweet Clock Vine should be grown in an area of the landscape that receives full sun to partial shade. It prefers well-drained soils and is moderately drought tolerant. Water this plant generously and protect it from strong winds.

Propagation is usually accomplished by cuttings or layers.

Pests and Diseases

Nematodes may be a problem for the Clock Vine.