Verbena bonariensis¹

Edward F. Gilman, Suzanne Shiffit²

Introduction

Verbena bonariensis is an 18- to 36-inch-tall perennial with an upright habit and rigid branching stems (Fig. 1). The habit is unlike many of the other, more common verbenas. The 2- to 3-inch-long, light green leaves are narrow and sharply toothed. Purple, panicle-like flowers appear on this plant in the spring, summer, and fall. These beautiful flowers may be cut for flower arrangements and are long-lasting.

General Information

Scientific name: Verbena bonariensis

Pronunciation: ver-BEEN-nuh boe-nar-ree-EN-sis

Common name(s): Purple Verbena

Family: *Verbenaceae* **Plant type:** ground cover

USDA hardiness zones: 7B through 10 (Fig. 2)

Planting month for zone 7: year round Planting month for zone 8: year round Planting month for zone 9: year round Planting month for zone 10: year round Origin: not native to North America

Uses: edging; ground cover; attracts butterflies; mass planting;

naturalizing

Availablity: somewhat available, may have to go out of the

region to find the plant

Description

Height: 2 to 3 feet **Spread:** 2 to 3 feet




Figure 1. Purple Verbena.

Plant habit: upright Plant density: open Growth rate: moderate

Texture: fine

Foliage

Leaf arrangement: opposite/subopposite

- This document is Fact Sheet FPS-597, one of a series of the Environmental Horticulture Department, Florida Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida. Publication date: October, 1999 Please visit the EDIS Web site at http://edis.ifas.ufl.edu.
- Edward F. Gilman, professor, Environmental Horticulture Department, Suzanne Shiffit, program assistant, horticultural programs, Marion County, Cooperative Extension Service, Institute of Food and Agricultural Sciences, University of Florida, Gainesville, 32611.

The Institute of Food and Agricultural Sciences is an equal opportunity/affirmative action employer authorized to provide research, educational information and other services only to individuals and institutions that function without regard to race, color, sex, age, handicap, or national origin. For information on obtaining other extension publications, contact your county Cooperative Extension Service of Florida Cooperative Extension Service / Institute of Food and Agricultural Sciences / University of Florida / Christine Taylor Waddill, Dean



Figure 2. Shaded area represents potential planting range.

Leaf type: simple
Leaf margin: serrate
Leaf shape: elliptic (oval)
Leaf venation: pinnate

Leaf type and persistence: deciduous **Leaf blade length:** 2 to 4 inches

Leaf color: green

Fall color: no fall color change **Fall characteristic:** not showy

Flower

Flower color: purple

Flower characteristic: spring flowering; summer flowering;

fall flowering

Fruit

Fruit shape: unknown Fruit length: unknown Fruit cover: unknown Fruit color: unknown

Fruit characteristic: inconspicuous and not showy

Trunk and Branches

Trunk/bark/branches: not applicable Current year stem/twig color: green Current year stem/twig thickness: medium

Culture

Light requirement: plant grows in part shade/part sun **Soil tolerances:** acidic; alkaline; sand; loam; clay;

Drought tolerance: high **Soil salt tolerances:** poor **Plant spacing:** 18 to 24 inches

Other

Roots: not applicable

Winter interest: no special winter interest Outstanding plant: not particularly outstanding Invasive potential: not known to be invasive

Pest resistance: long-term health usually not affected by pests

Use and Management

Purple Verbena may be used in the landscape as an edging or ground cover and is lovely when massed. It can make a nice show in the perennial border, adding a light, airy touch to the garden.

Purple Verbena should be grown in full sun on a well-drained soil. It is very heat tolerant and can endure periods of drought. Periodic pruning will enhance this perennial's growth habit and blooming. Cut it back if it becomes too leggy and to promote another flower display.

Pests and Diseases

Verbena bonariensis is susceptible to powdery mildew and whiteflies.